

Terrace parasols
a solution for every terrace

content table

3 Solis

4 Accanto

5 Supremo Plus & Manivello

6 Zeno

7 Levanto

8 L'ombrero

9 Quattro

10 Party

11 Classico

12 Macsymo

13 Quaseo

14 Outdoor heating

15 Luna

16 **17** Stands

18 Fabrics



solis

Advantages

- The Solis parasol has won the following design awards:
 - Nomination for the **Design Award of the Federal Republic of Germany 2008, Rat für Formgebung**, Berlin, Germany 2007
 - **International Design Excellence Award** (silver), Dulles, USA, 2007
 - **IF Design Award**, Hannover, Germany, 2007
 - **Henry vande Velde Label**, Brussel, België, 2006
- Crank opening system.

Technical specifications

 4,0m x 4,0m  Ø 4m  Ø 5,6m

- **Frame** aluminium powder-coated colour RAL 9010 (white).
Other RAL colours available on request.
- **Pole** Ø 80mm.
- **Rib** 8 ribs 30 x 20mm (reinforced).
- **Fabric** Airtex Classic 195 g/m².




© Design by Dirk Wynants, 2002-2005, all rights reserved. Internationally protected by intellectual property. Worldwide exclusively co-licensed by Extremis and Symo




Advantages

- Free arm parasol: sidelong pole does not hamper. Easy to use.
- A lot of space under the parasol thanks to the sidelong pole.
- People, tables or chairs are no longer inconvenienced whilst closing the parasol.
- The parasol folds itself back over the pole.
- Double roof for better air circulation.

Technical specifications

 3,0m x 3,0m
Minimal free height needed to open and close the parasol: 3,0m



- **Frame** aluminium powder-coated colour RAL 9010 (white).
- **Pole** 40 x 80mm rectangular.
- **Ribs** 8 long ribs 30 x 15mm and 8 short ribs 15 x 15mm.
- **Fabric** Polyester 300 g/m². PU coated.



Advantages

- A modern design with a contemporary and timeless look.
- Light but solid.
- Easy to use opening system: push-up (Supremo Plus) or crank handle (Supremo Manivello).
- Supremo Plus is ideal for private use. For professional gastronomy use we highly recommend Supremo Manivello (no guarantee for Supremo Plus in professional gastronomy use).

Technical specifications

Supremo Plus  Ø 2,0m | Ø 2,5m  Ø 3,0m

 2,0m x 2,0m  2,5m x 2,5m

Supremo Manivello  Ø 3,5m  3,0m x 3,0m

- **Frame** aluminium powder-coated anthracite (all sizes) or white (Supremo Manivello 3,0 x 3,0m).
- **Pole** Ø 38mm.
- **Rib** 14 x 20mm.
- **Fabric** Dralon (acrylic) 210 g/m².

A wide variety of colours is available.







Advantages

- Opens by itself.
- The timeless class and appeal of Karrigum hardwood.
- Ideally suited for private as well as professional use.
- Canvas high grade acrylic.

Technical specifications

 3,0m x 3,0m  Ø 3,0m

- **Frame** Karrigum tropical hardwood, special outdoor treatment.
- **Pole** Ø 48mm.
- **Ribs** approx. 20 x 30mm, heavy duty.
- **Fabric** high grade acrylic 285 g/m². High UV-resistance. Teflon coated.



Advantages

- Wooden parasol, ideal for Northern European weather conditions.
- Rain and sun resistant.
- Elegant finish with metal-look components.
- Protectors for the rib tops.

Technical specifications

 Ø 3,0m  3,0m x 3,0m

- **Frame** Meranti tropical hardwood, special outdoor treatment.
- **Pole** Ø 38mm (round parasol) or 48mm (square parasol).
- **Ribs** 17 x 22mm (round parasol), 20 x 35mm heavy duty (square parasol).
- **Fabric** Polyester 220 g/m². PU coated.





Advantages

- Parasol arm, wall mounted or centerpole mounted.
- Easy to adjust with great accuracy: brings the shade right where you want it.
- Attractive contemporary design.
- No hinder by parasol base or parasol pole.
- Optional gasdamper for easy use.

Technical specifications

 2,5m x 2,5m
  2,0m x 2,0m
 Ø 3,0m
  Ø 2,0m | Ø 2,5m

- **Arm** anodised aluminium, natural colour + components nylon and glass fiber.
- **Parasol frame** aluminium powder-coated anthracite.
- **Pole** Ø 38mm, centerpole: anodised aluminium, natural colour
- **Ribs** 14 x 20mm.
- **Fabric** Dralon (acrylic) 210 g/m².

A wide variety of colours is available. 




Advantages

- Easy-to-use manual operation by convenient screw or pulley system.
- Modern look, square parasols in nice pyramid shape.
- Very light and extremely reliable and sturdy.

Technical specifications

*screw system **pulley system

 2,0m x 2,0m*
  2,5m x 2,5m* | 3,0m x 3,0m**
 3,0m x 2,0m**
  Ø 3,0m** | Ø 4,0m**

- **Frame** anodised aluminium natural colour. RAL colours available on request.
- **Pole** Ø 40mm.
- **Ribs** round shape diameter 18mm.
- **Fabric** Symotex polyester 180 g/m².
Sunbrella solution dyed acrylic 275 g/m².
Orchestra solution dyed acrylic 295 g/m².
A very wide variety of colours is available. 



Advantages

- Pulley system for improved user comfort.
- Lightweight, ideal for daily use (professional and private).
- Stylish octagonal or square design.
- The finishing details exude sheer quality.

Technical specifications

 3,0m x 3,0m | 3,5m x 3,5m
  Ø 3,0m | Ø 3,5m | Ø 4,0m


- **Frame** aluminium powder coated in white colour. Pulley system.
 - **Pole** Ø 50mm.
 - **Ribs** 20 x 30mm.
 - **Fabric** Polyester 300 g/m². PU coated.
 - Symotex polyester 180 g/m².
 - Orchestra solution dyed acrylic 295 g/m².
 - Airtex FR Fire retardant (colour only white).
- A very wide variety of colours is available.



Advantages

- The better class garden umbrella, made in Belgium.
- Classic and utterly shatterproof finish.
- Highest quality for extra long lifespan.
- All models with tilt system (head tilt or metal tilt).

Technical specifications

 2,1m x 1,4m | 2,55m x 1,7m
  Ø 1,8m | Ø 2,0m
 Ø 2,0m | Ø 2,5m

- **Frame** powder-coated steel white.
- **Pole** 22/25mm or 29/32mm (round 2,5m and rectangular shapes).
- **Ribs** springsteel ribs.
- **Fabric** Dralon (acrylic) 210 g/m².
A wide variety of colours, stripes and squares is also available.





Advantages

- Opens itself by simple hand movement.
- No longer hindered whilst opening, due to the telescopic mast system.
- Resists very strong winds (wind force 6 Beaufort).
- Easy to store and transport by dint of its two-section mast.
- A complete range of accessories, from lighting over gutters to a wide variety of stands is available.

Technical specifications

☒ 3,0m x 3,0m | 3,5m x 3,5m | 4m x 4m | 4,5m x 4,5m | 5m x 5m

☒ Ø 4,0m | Ø 5,0m

- **Frame** aluminium powder coated in white colour RAL 9010.
- **Pole** Ø 60mm, aluminium.
- **Ribs** 20 x 30mm.
- **Fabric** Orchestra solution dyed acrylic 295 g/m².
Airtex FR Fire retardant (colour only white).
A very wide variety of colours is available.



Quaseo, the wireless parasol lighting




Advantages

- The first **wireless parasol lighting** in the world.
- Fits every parasol pole from 27 to 51mm diameter.
- Rechargeable like a mobile phone.
- 2 hours of recharging = 6 hours of light.
- AC adapter 110V - 240V included.

Technical specifications

- **Diameter** 200mm.
- **24 LED lamps.**




Advantages

- Water resistant for outdoor use.
- These heaters make use of PHILIPS lamps, made with a heating filament. This filament produces heat through short wave infrared rays. Within seconds of switching on, heat is radiated at maximum power. This lamp does not degrade itself and has a very long life.
- Wall mounted or free standing.
- No gas cylinders needed (no storage problem, no hard labour).
- More economical than gas cylinder heating.
- 1 heater warms about 12m².



Luna, the all-round parasolbase



Advantages

- Extra safety with round off corners.
- Screw holes for ground fixing.
- Durable treatment: sandblasted, metalised and powder-coated.
- Practical handle.
- Outlet for rainwater.
- Castors optional.
- Ergonomic screw to fix the parasol.
- Key and screw included.

Technical specifications

- +/-15,5 kg
- 60cm x 60cm



| | | | | | | | | | | | | | | | | | |
|---------------------------|--|---|---|---|---|---|---|---|---|---|--|--|---|---|---|---|---|
| Solis | Ø 4,0m / 4,0m x4,0m | | | | | | | | | | | | | | | | |
| | Ø 5,6m | | | | | | | | | | | | | | | | |
| L'ombrero | | • | • | | | | | | | | | | | | | | |
| Accanto 3 x 3 | | • | • | • | | | | | | | | | | | | | |
| MacSymo | Ø 3,5m / Ø 4,0m / Ø 5,0m | • | • | • | • | • | • | • | | | | | | | | | |
| | 3,0m x 3,0m / 3,5m x 3,5m / 4,0m x 4,0m / 4,5m x 4,5m | • | • | • | • | • | • | • | | | | | | | | | |
| | 5,0m x 5,0m | | • | • | • | | • | • | | | | | | | | | |
| Party | Ø 3,0m | | | • | • | | | • | • | • | | | | | | • | • |
| | Ø 3,5m / Ø 4,0m / 3,0m x 3,0m / 3,5m x 3,5m | | | • | • | | | • | | • | | | | | | • | • |
| Quattro | 2,0m x 2,0m / 2,5m x 2,5m / Ø 3,0m / 3m x 2m | | • | • | • | | | • | • | | | | | | • | | • |
| | 3,0m x 3,0m / Ø 4,0m | | • | • | • | | | • | | | | | | | • | | • |
| Levanto & Zeno | Ø 3,0m | | | | | | | • | • | | | | | | • | | • |
| | 3,0m x 3,0m | | | | | | | • | | | | | | | • | | • |
| Classico | PicNic / Ficus / Tivoli / Bandol / Casale / Aleria / Ibiza / Canadas / Vivario / Halifax | | | | | | | | | | | | • | • | • | | • |
| | Campana / Maubeuge / Caracas / Tonnelle / Parasol professional | | | | | | | | • | | | | • | • | • | • | • |
| Supremo Manivello | Ø 3,5m | | | | | | | • | • | | | | | | • | | • |
| | 3,0m x 3,0m | | | | | | | • | | | | | | | • | | • |
| Supremo Plus | Ø 2,0m / Ø 2,5m / Ø 3,0m / 2,0m x 2,0m / 2,5m x 2,5m | | | | | | | • | • | | | | • | | • | | • |

Fabrics

| | | | | | | | |
|---|--|--|--|--|--|--|--|
| Orchestra 295 g/m ² acrylic | Sunbrella 275 g/m ² solution dyed acrylic | Symotex 180 g/m ² polyester pvc coating | Polyester 300 g/m ² PU Coating | Polyester 220 g/m ² PU Coating | Acrylic 285 g/m ² | Dralon 210 g/m ² acrylic | Airtex 195 g/m ² polyester |
|---|--|--|--|--|--|--|--|

| | | | | | | | |
|--------------------------|---|---|---|---|---|---|---|
| Macsymo | • | | | | | | |
| Party | • | | • | • | | | |
| Quattro | • | • | • | | | | |
| Accanto | | | | • | | | |
| Zeno | | | | | • | | |
| Levanto | | | | • | | | |
| Classico | | | | | | • | |
| Supremo Manivello | | | | | | • | |
| Supremo Plus | | | | | | • | |
| Solis | | | | | | | • |

The colour specifications shown in this folder can deviate from the colours of the fabric.



All data are approximate and can change without prior notice.

